## **GIGA X8: Specifications**

Recommended maximum daily output	
Recommended maximum daily output	200
Areas of use	
Catering	✓
Coffee to Go	✓
Office floor solutions	$\checkmark$
Seminar/conference facilities	$\checkmark$
Specialities	
Ristretto	✓
2 × Ristretto	✓
Espresso	✓
2 × Espresso	$\checkmark$
Coffee	$\checkmark$
2 × Coffee	$\checkmark$
Caffè Barista	✓
2 × Caffè Barista	✓
Lungo Barista	$\checkmark$
2 × Lungo Barista	✓
Special coffee	✓
2 × Special coffee	✓
Espresso doppio	✓

Pot of coffee	$\checkmark$
Espresso macchiato	$\checkmark$
2 × Espresso macchiato	$\checkmark$
Caffè latte	$\checkmark$
2 × Caffè latte	$\checkmark$
Cappuccino	$\checkmark$
2 × Cappuccino	$\checkmark$
Flat white	$\checkmark$
2 × Flat white	✓
Latte macchiato	✓
2 × Latte macchiato	✓
Portion of milk foam	✓
2 × Portion of milk foam	✓
Portion of milk	✓
2 × Portion of milk	$\checkmark$
Hot water	$\checkmark$
Hot water for green tea	✓
Hot water for black tea	✓
Ground coffee	✓
Number of cups per hour (as per DIN 18873-2)	
Espresso	89
2 × Espresso	138
Coffee	72
2 × Coffee	82

Cappuccino	78
2 × Cappuccino	110
Hot water	116
Specific benefits	
Number of specialities	32
Speed function	$\checkmark$
Automatic Grinder Adjustment (A.G.A.)	$\checkmark$
Automatic switching between milk and milk foam	$\checkmark$
Transmitter supplied as standard	Smart Connect
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	$\checkmark$
Variable brewing unit	5-16 g
Grinder	2 electronically adjustable ceramic disc grinders
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid systems	2
Milk system / interchangeable milk spout	HP3/CX2
Powder chute for ground coffee	✓
Aroma preservation cover	$\checkmark$
Active bean monitoring	✓
Operating and programming standards	
Rotary Switch	$\checkmark$
Display	4.3" touchscreen colour display

Position, duplicate and personalise products according to personal preference	✓
Individually programmable quantity of water for coffee	✓
Individually programmable coffee strength	10 levels
Individually programmable amount of milk/milk foam	$\checkmark$
Individually programmable milk/milk foam temperature	10 levels
Individually programmable brewing temperature	3 levels
Individually programmable hot water temperature	3 levels
Hygiene standards	
Automatic filter detection	$\checkmark$
Filter cartridge	CLARIS Pro Smart
One-Touch milk system cleaning (automatic)	$\checkmark$
Integrated rinsing, cleaning and descaling programme	$\checkmark$
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.©)	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
Programmable switch-on/switch-off time	✓
Energy consumption per day (as per DIN 18873-2)	0.491 kWh
Design and materials	
Alu Frame Design© 3 mm	✓
Centre panel in Piano Black	$\checkmark$

Cup illumination	$\checkmark$
In figures	
Height-adjustable/width-adjustable dual spout	2.7 – 6.2 in / – 70 – 159 mm / –
Height-adjustable hot-water spout	2.7 – 6.5 in 69 – 165 mm
Water tank capacity	161.1 oz / 5 l
Bean container holding capacity	2 × 22.9 oz. 2 × 650 g
Coffee grounds container (approx. servings)	40
Cable length	43 in / 1.1 m
Voltage / power	120 V / 1450 W
Current	10 A
Stand-by power	< 0,5 W
Weight	41.9 lbs / 19 kg
Dimensions (W $\times$ H $\times$ D)	14.6 in × 22.2 in × 19.6 in 37 cm × 56.5 cm × 49.7 cm
Article number, product code	15392, Aluminium-Black (NA)
EAN code	7610917153923
Country of production	Made in Switzerland
Model year	2021