GIGA X8c: Specifications

Areas of use	
Catering	\checkmark
Coffee to Go	\checkmark
Office floor solutions	✓
Seminar/conference facilities	√
Specialities	
Ristretto	✓
2 × Ristretto	✓
Espresso	✓
2 × Espresso	✓
Coffee	✓
2 × Coffee	✓
Americano	✓
2 x Americano	✓
Lungo	\checkmark
2 x Lungo	✓
Special coffee	✓
2 × Special coffee	✓
Espresso doppio	✓
Pot of coffee	✓
Espresso macchiato	✓

2 × Espresso macchiato	\checkmark
Caffè latte	\checkmark
2 × Caffè latte	✓
Cappuccino	✓
2 × Cappuccino	✓
Flat white	\checkmark
2 × Flat white	\checkmark
Latte macchiato	\checkmark
2 × Latte macchiato	\checkmark
Portion of milk foam	\checkmark
2 × Portion of milk foam	\checkmark
Portion of milk	✓
2 × Portion of milk	✓
Hot water	✓
Hot water for green tea	\checkmark
Hot water for black tea	\checkmark
Ground coffee	\checkmark
Number of cups per hour (as per DIN 18873-2)	
Espresso	89
2 × Espresso	138
Coffee	72
2 × Coffee	82
Cappuccino	78
2 × Cappuccino	110

Hot water	116
Specific benefits	
Number of specialities	32
Speed function	✓
Automatic Grinder Adjustment (A.G.A.)	✓
Automatic switching between milk and milk foam	✓
Permanent water connection	✓
Transmitter supplied as standard	Smart Connect
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	✓
One-Touch Lungo function	✓
Variable brewing unit	5 – 16 g
Grinder	2 electronically adjustable ceramic disc grinders
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid systems	2
Milk system / interchangeable milk spout	HP3/CX2
Powder chute for ground coffee	✓
Aroma preservation cover	✓
Active bean monitoring	√
Operating and programming standards	
Rotary Switch	✓

Position, duplicate and personalise products according to personal preference	✓
Individually programmable quantity of water for coffee	✓
Individually programmable coffee strength	10 levels
Individually programmable amount of milk/milk foam	\checkmark
Individually programmable milk/milk foam temperature	10 levels
Individually programmable brewing temperature	3 levels
Individually programmable hot water temperature	3 levels
Intelligent Pre-Brew Aroma System with optional deactivation	✓
Generating code groups	✓
Resettable day counter	✓
Shows the number of preparations for each individual product	✓
Connectivity	
Smart Connect	\checkmark
Wi-Fi Connect	\checkmark
Payment Connect	✓
Payment and telemetry systems	
Pocket Pilot 2.0	✓
Data Communicator	√
Hygiene standards	
Filter cartridge	JURA water filter system
One-Touch milk system cleaning (automatic)	✓
Integrated rinsing, cleaning and descaling programme	\checkmark
Monitored drip tray	√

JURA hygiene: TÜV-certified	\checkmark
Energy standards	
Energy Save Mode (E.S.M.©)	\checkmark
Zero-Energy Switch or power switch	\checkmark
Programmable switch-off time	\checkmark
Programmable switch-on/switch-off time	\checkmark
Energy consumption per day (as per DIN 18873-2)	0.491 kWh
Design and materials	
Alu Frame Design© 3 mm	✓
Centre panel in Piano Black	✓
Cup illumination	✓
In figures	
Height-adjustable/width-adjustable dual spout	2.8 - 6.3 in / - 70 - 159 mm / -
Height-adjustable hot-water spout	2.7 – 6.5 in / 69 – 165 mm
Bean container holding capacity	2 × 22.9 oz / 2 × 650 g
Coffee grounds container (approx. servings)	40
Cable length	43.3 in / 1.1 m
Voltage / power	230 V ~ / 2700 W
Current	10 A
Mains water connection thread size	G 3/4"
Stand-by power	< 0,5 W
Weight	41.9 lbs / 19 kg
Dimensions (W \times H \times D)	12.6 in × 22.2 in × 19.6 in / 32 cm × 56.5 cm × 49.7 cm

Article number, product code	15692, Aluminium Black (CAB)
EAN code	7610917156924
Country of production	Made in Switzerland