## **S8: Specifications**

Specialties	
Number of specialties	27
Espresso	✓
2 × Espresso	$\checkmark$
Coffee	$\checkmark$
2 × Coffee	$\checkmark$
Americano	$\checkmark$
Lungo	$\checkmark$
Espresso doppio	✓
Cortado	✓
Sweet Cortado	$\checkmark$
Espresso macchiato	$\checkmark$
Sweet Espresso macchiato	$\checkmark$
Cappuccino	$\checkmark$
Sweet Cappuccino	$\checkmark$
Cappuccino Extra Shot	✓
Flat white	$\checkmark$
Sweet Flat White	✓
Flat white Extra Shot	✓
Latte macchiato	✓
Sweet Latte macchiato	$\checkmark$

Latte macchiato Extra Shot	✓
Sweet Latte	✓
Sweet Latte Extra Shot	✓
Portion of milk foam	✓
Sweet portion of milk foam	✓
Portion of milk	✓
Sweet Portion of milk	✓
Hot water	✓
Specific benefits	
Sweet Foam Function	✓
Active bean monitoring	✓
Wi-Fi connection to home network	✓
Transmitter supplied as standard	Wi-Fi Connect
JURA coffee machine standards	
JURA coffee machine standards Grinder	P.A.G.2
	P.A.G.2 ✓
Grinder	<del>-</del>
Grinder  Powder chute for ground coffee	✓
Grinder  Powder chute for ground coffee  Lungo function	✓ ✓
Grinder  Powder chute for ground coffee  Lungo function  Pulse Extraction Process (P.E.P.®)	✓ ✓
Grinder  Powder chute for ground coffee  Lungo function  Pulse Extraction Process (P.E.P.®)  Variable brewing unit	√ √ √ 5–16 g
Grinder  Powder chute for ground coffee  Lungo function  Pulse Extraction Process (P.E.P.®)  Variable brewing unit  High-performance pump, 15 bar	√ √ √ 5-16 g
Grinder  Powder chute for ground coffee  Lungo function  Pulse Extraction Process (P.E.P.®)  Variable brewing unit  High-performance pump, 15 bar  Thermoblock heating system	√ √ 5-16 g 1

Operating and programming standards	
Display	4.3" touchscreen color display
Position, duplicate and personalize products according to personal preference	✓
Individually programmable quantity of coffee water	✓
Individually programmable coffee strength	10 levels
Individually programmable consistency of grind	7 levels
Individually programmable brewing temperature	3 levels
Individually programmable amount of milk/milk foam	$\checkmark$
Individually programmable hot water temperature	3 levels
Compatible with J.O.E.®	$\checkmark$
Hygiene standards	
Automatic filter detection	$\checkmark$
Filter cartridge	CLEARYL Smart+
One-Touch milk system cleaning (automatic)	$\checkmark$
Integrated rinsing, cleaning, and descaling program	$\checkmark$
Monitored drip tray	$\checkmark$
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.©)	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
Design and materials	
Cup illumination	$\checkmark$

## In figures

Height-adjustable/width-adjustable coffee spout	65 – 111 mm / –
Height-adjustable cappuccino spout	4.2 – 6 in / 107 – 153 mm
Height-adjustable hot-water spout	2.6 – 4.3 in / 70 – 116 mm
Water tank capacity	64.2 oz / 1.9 l
Coffee grounds container (approx. servings)	16
Bean container holding capacity	9.9 oz / 280 g
Cord length	43.3 in / 1.1 m
Voltage / power	120 V ~ / 1450 W
Current	10 A
Energy consumption / energy efficiency class	59.9 kWh/annum / A
Stand-by power	0 W
Weight	22 lbs / 9.8 kg
Dimensions (W×H×D)	28 × 34.8 × 44.6 cm
Dimensions (W $\times$ H $\times$ D)	11 in × 13.8 in × 17.6 in / 28 cm × 34.8 cm × 44.6 cm
Country of production	Made in Switzerland